Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

- (Original) A process for the enhanced production of pantothenate, comprising culturing a microorganism having a deregulated methylenetetrahydrofolate (MTF) biosynthetic pathway, under conditions such that pantothenate production is enhanced.
- 2. **(Original)** A process for the enhanced production of pantothenate, comprising culturing a microorganism having
 - (i) a deregulated pantothenate biosynthetic pathway, and
 - (ii) a deregulated methylenetetrahydrofolate (MTF) biosynthetic pathway, under conditions such that pantothenate production is enhanced.
- 3. **(Original)** The process of claim 2, wherein said microorganism has at least two pantothenate biosynthetic enzymes deregulated.
- 4. **(Original)** The process of claim 2, wherein said microorganism has at least three pantothenate biosynthetic enzymes deregulated.
- 5. (Original) The process of claim 2, wherein said microorganism has at least four pantothenate biosynthetic enzymes deregulated.
- 6. (Original) The process of claim 5, wherein said microorganism has a deregulated ketopantoate hydroxymethyltransferase, a deregulated ketopantoate reductase, a deregulated pantothenate synthetase and a deregulated aspartate-αdecarboxylase.

4

- 7. (Currently Amended) The process of any one of claims 1 to 6 claim 1 or 2, wherein said microorganism further has a deregulated isoleucine-valine (ilv) biosynthetic pathway.
- 8. (Original) The process of claim 7, wherein said microorganism has at least two isoleucine-valine (*ilv*) biosynthetic enzymes deregulated.
- 9. (Original) The process of claim 7, wherein said microorganism has at least three isoleucine-valine (*ilv*) biosynthetic enzymes deregulated.
- 10. **(Original)** The process of claim 9, wherein said microorganism has a deregulated acetohydroxyacid acid synthetase, a deregulated acetohydroxyacid isomeroreductase, and a deregulated dihydroxyacid dehydratase.
- 11. **(Original)** The process of any one of claims 1 to 10, wherein the microorganism has at least one MTF biosynthetic enzyme deregulated.
- 12. **(Original)** The process of claim 11, wherein the microorganism has a deregulated *glyA* gene.
- 13. **(Original)** The process of claim 11, wherein the microorganism has a deregulated *serA* gene.
- 14. **(Original)** The process of claim 11, wherein the microorganism has a deregulated *glyA* gene and a deregulated *serA* gene.
- 15. (Original) The process of claim 12 or 14, wherein the microorganism has a mutated, deleted or disrupted *purR* gene.
- 16. **(Original)** A process for the enhanced production pantothenate, comprising culturing a microorganism having a deregulated pantothenate biosynthetic pathway, a deregulated isoleucine-valine (*ilv*) biosynthetic pathway, and a deregulated methylenetetrahydrofolate (MTF) biosynthetic pathway deregulated, such that production of pantothenate is enhanced.

- 17. (Original) A process for the production pantothenate, comprising culturing a microorganism having a deregulated pantothenate biosynthetic pathway, a deregulated isoleucine-valine (*ilv*) biosynthetic pathway, and a deregulated methylenetetrahydrofolate (MTF) biosynthetic pathway, such that at least 50 g/L pantothenate is produced after 36 hours of culturing the microorganism.
- 18. (Original) The process of claim 17, comprising culturing the microorganism such that at least 60 g/L pantothenate is produced after 36 hours of culturing the microorganism.
- 19. **(Original)** The process of claim 17, comprising culturing the microorganism such that at least 70 g/L pantothenate is produced after 36 hours of culturing the microorganism.
- 20. (Original) A process for the production pantothenate, comprising culturing a microorganism having a deregulated pantothenate biosynthetic pathway, a deregulated isoleucine-valine (*ilv*) biosynthetic pathway, and a deregulated methylenetetrahydrofolate (MTF) biosynthetic pathway deregulated, such that at least 60 g/L pantothenate is produced after 48 hours of culturing the microorganism.
- 21. **(Original)** The process of claim 20, comprising culturing the microorganism such that at least 70 g/L pantothenate is produced after 48 hours of culturing the microorganism.
- 22. (Original) The process of claim 20, comprising culturing the microorganism such that at least 80 g/L pantothenate is produced after 48 hours of culturing the microorganism.
- 23. **(Original)** The process of any one of the preceding claims, wherein pantothenate production is further enhanced by regulating pantothenate kinase activity.
- 24. **(Original)** The process of claim 23, wherein pantothenate kinase activity is decreased.

- 25. (Original) The process of claim 24, wherein CoaA is deleted and CoaX is downregulated.
- 26. (Original) The process of claim 24, wherein CoaX is deleted and CoaA is downregulated.
- 27. (Original) The process of claim 24, wherein CoaX and CoaA are downregulated.
- 28. (Original) The process of any one of the above claims, wherein said microorganism is cultured under conditions of excess serine.
- 29. **(Original)** A process for producing pantothenate comprising culturing a microorganism having a deregulated pantothenate biosynthetic pathway under conditions of excess serine, such that pantothenate in produced.
- 30. (Original) The process of any one of the above claims, wherein said microorganism has the pantothenate biosynthetic pathway deregulated such that pantothenate production is independent of β-alanine feed.
- 31. (Original) The process of any one of the above claims wherein the microorganism is a Gram positive microorganism.
- 32. **(Original)** The process of any one of the above claims wherein the microorganism belongs to the genus *Bacillus*.
- 33. (Original) The process of any one of the above claims, wherein the microorganism is *Bacillus subtilis*.
- 34. (Original) A product synthesized according to the process of any one of the above claims.
- 35. (Original) A composition comprising pantothenate produced according to the process of any one of the above claims.

7

- 36. (Original) A recombinant microorganism for the enhanced production of pantothenate, said microorganism having a deregulated pantothenate biosynthetic pathway, and a deregulated methylenetetrahydrofolate (MTF) biosynthetic pathway.
- 37. **(Original)** A recombinant microorganism for the enhanced production of pantothenate, said microorganism having a deregulated pantothenate biosynthetic pathway, a deregulated methylenetetrahydrofolate (MTF) biosynthetic pathway, and a deregulated isoleucine-valine (*ilv*) pathway.
- 38. **(Original)** The microorganism of claim 36 or 37, further having reduced pantothenate kinase activity.
- 39. (Original) The microorganism of any one of claims 36-38 which is a Gram positive microorganism.
- 40. (Original) The microorganism of any one of claims 36-38 belonging to the genus *Bacillus*.
- 41. **(Original)** The microorganism of any one of claims 36-38 which is *Bacillus* subtilis.
- 42. **(Original)** A process for producing pantothenate comprising culturing a recombinant microorganism having:
 - (a) a deregulated panB gene;
 - (b) a deregulated panD gene; and
 - (c) at least one deregulated isoleucine-valine (*ilv*) biosynthetic enzyme-encoding gene; under conditions such that at least 30 g/l pantothenate is produced after 36 hours of culturing the microorganism.
- 43. (Original) The process of claim 42, wherein said microorganism further has a deregulated methylenetetrahydrofolate (MTF) biosynthetic pathway and said microorganism is cultured under conditions such that at least 50 g/l pantothenate is produced after 36 hours of culturing the microorganism.

8

- 44. **(Original)** A process for producing pantothenate comprising culturing a recombinant microorganism having:
 - (a) a deregulated panB gene; and
 - (b) a deregulated panD gene;

under conditions of excess serine, such that at least 50 g/l pantothenate is produced after 36 hours of culturing the microorganism.

- 45. **(Original)** A process for producing pantothenate comprising culturing a recombinant microorganism having:
 - (a) a deregulated panB gene;
 - (b) a deregulated *panD* gene; and
 - (c) a deregulated methylenetetrahydrofolate (MTF) biosynthetic pathway; under conditions of excess valine, such that at least 50 g/l pantothenate is produced after 36 hours of culturing the microorganism.
- 46. **(Original)** A process for producing pantothenate comprising culturing a recombinant microorganism having:
 - (a) a deregulated panB gene;
 - (b) a deregulated panD gene; and
 - (c) a deregulated glyA gene;

under conditions of excess valine, such that at least 50 g/l pantothenate is produced after 36 hours of culturing the microorganism.

- 47. **(Original)** A process for producing pantothenate comprising culturing a recombinant microorganism having:
 - (a) a deregulated *panB* gene;
 - (b) a deregulated panD gene; and
 - (c) a mutated, deleted or disrupted *purR* gene; under conditions of excess valine, such that at least 50 g/l pantothenate is produced after 36 hours of culturing the microorganism.
- 48. **(Original)** A process for producing pantothenate comprising culturing a recombinant microorganism having:
 - (a) a deregulated panB gene;
 - (b) a deregulated panD gene; and
 - (c) a deregulated serA gene;

9

under conditions of excess valine, such that at least 50 g/l pantothenate is produced after 36 hours of culturing the microorganism.

- 49. **(Original)** A process for producing pantothenate comprising culturing a recombinant microorganism having:
 - (a) a deregulated panB gene;
 - (b) a deregulated panD gene;
 - (c) a deregulated serA gene;
 - (d) a deregulated glyA gene; and

under conditions of excess valine, such that at least 50 g/l pantothenate is produced after 36 hours of culturing the microorganism.